# REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Collection of information, including suggestions for reducing this burden, to Washington Dec 2012, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)	3. REPORT TYPE	E AND DATES COVERED				
4. TITLE AND SUBTITLE DETERMINATION OF DECONTAMINATION	CRITERIA FOR DIMP AND D	CPD (U)	5. FUNDING NUMBERS			
5. AUTHOR(S)			DAMD 17 75 C 5069			
O'DONOVAN, P.						
7. PERFORMING ORGANIZATION NAM	E(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION			
AEROJET ORDNANCE & MANUFACTURING DOWENY, CA	COMPANY		REPORT NUMBER			
	e e e e e e e e e e e e e e e e e e e	TIC	81327R08			
9. SPONSORING/MONITORING AGENC	<b>1</b> 1	LECTE T	10. SPONSORING / MONITORING AGENCY REPORT NUMBER			
FORT DETRICK (FREDERICK, MD.) FREDERICK, MD		AN 31 1995				
11. SUPPLEMENTARY NOTES		u				
			12b. DISTRIBUTION CODE			
2a. DISTRIBUTION/AVAILABILITY STA	ATEMENT		12b. DISTRIBUTION CODE			
APPROVED FOR PUBLIC RELE	ASE; DISTRIBUTION	IS UNLIMITED				
13. ABSTRACT (Maximum 200 words)						
(E.G., PLANT GROWTH AND	DIMP AND DCPD LYS TEST PLAN ARE AN E ADDITION OF RAD S. THE INDIVIDUA UP AND IS BEING OPERABLE AND THE SELECTED AS THE	IMETER TESTS). INCREASE IN TH IO TRACER TECHN L TUB APPARATUS TESTED WITH IMM TEST PLANTS SE MEDIUM OF CHOICE	FOR THE RANGE FINDING EATURE JUNIPER AND ROSE EM TO BE THRIVING. EE FOR USE IN THE			
		Data ess s simes	rarente control &			
		DTIC QUALITY	IMBLECTED 6			

14. SUBJECT TERMS

CONTAMINANTS, FLORA, SOIL, CHEMICALS, LYSIMETER

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

18. SECURITY CLASSIFICATION OF THIS PAGE

19. SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

81327R08

Original

AEROJET ORDNANCE AND MANUFACTURING COMPANY 9236 East Hall Road

Downey, (

00241

81327R08 original

DETERMINATION OF DECONTAMINATION CRITERIA

FOR

DIMP AND DCPD (U)

Report No. 1953-01(02)MP

Contract DAMD-17-75-C-5069

Accesion For

NTIS CRA&I
DTIC TAB
Unannounced
Justification

By
Distribution /

Availability Codes

Dist

Avail and / or
Special

Rocky Mountain Arsenal Information Center Commerce City, Colorado

Τo

U.S. Army, Ft. Detrick Fredrick, Maryland 21701

Prepared by:


P. A. OlDonovan

Date: 7 September 1975

No. of Pages: 6

FILE COPY

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Progress on the items proposed for action during August 1975, is discussed in the following paragraphs.

## A. Analysis of Chino Hills Water Supply

The well water which is normally supplied to the laboratory area has been analyzed to determine its suitability as an irrigation medium.

The pertinent portions of the report are shown in Table I.

Additional considerations, including closer control of water quality, have led to the selection of distilled water as the medium of choice for use in the experimental program.

### B. Test Plan Preparation

A preliminary test plan has been submitted by AOMC to the sponsor for approval and/or modification. This plan is currently undergoing modification. The significant changes being considered for the test plan are an increase in the number of test species from seven to ten and the addition of radio tracer techniques to the initial range finding experiments.

### C. Range Finding Experiments

The individual tub apparatus for the range finding experiments has been set up and is being tested with immature juniper and rose plants. All systems are operable and the plants seem to be thriving. Germination trays have been set up and the fescue, wheat, and corn have been successfully germinated. Radish, bean, tomato, carrot and sugar beet seeds have been obtained and germination tests are underway. The sugar beet seeds were obtained from the Elmore Company of Brawley, California. All the other seeds were commercially available locally.

TABLE I

# Analysis of Chino Hills Well Water - 8-4-75

# Measured:

Specific Conductance µ mho/cr	m @ 25°C 1386	
pH	7.60	
SiO <sub>2</sub>	21.7 ppm	1
Ca	58.4	
Mg	25.0 "	
. Na	180.8	
K	10.0	
CO3	0 11	
HCO <sub>3</sub>	475.8	
so <sub>4</sub> =	180.7	
Cl <sup>-</sup>	48.0	
NO <sub>3</sub>	16.8 "	
Fe	< 0.02	
Cu	< 0.02	
В	0.05 "	

# Calculated:

Total Alkalinity		390	ppm
Total Solids		995.5	11
Total Hardness	·	249	11
Temporary Hardne	ss	249	11
Corrosion Index		+ 0.43	

# D. Chemical and Analytical Preparation

Shipments of both DIMP and DCPD have been received. Analysis by gas-liquid chromatography (GLC) using a thermal conductivity detector indicate that the DCPD is in excess of 96% pure. A chromatogram of this material can be seen in Figure 1. The DIMP has been analyzed also by GLC. There is some inconsistency in the analysis, however, and it is being repeated. A typical chromatogram of this DIMP, run undiluted, is shown in Fig. 2. Consultation is underway with the vendor to assist in establishing the characteristics of the material.

The alkaline flame ionization phosphorus detector (AFID) and flame ionization detector (FID) have also been utilized to obtain base line data chromatograms on the two materials.

Sufficient chemicals to prepare nutrient baths for the large scale hydroponic experiments have been ordered.

# E. Lysimeter Preparation

Twenty 55-gallon drums have been obtained. These were converted to ten lysimeter bodies of 69 inches in height by attaching one drum to the top of another and removing all but the bottom drum end. Threaded drain holes are provided in the bottom of each lysimeter. A stand has been constructed to hold the apparati approximately 12 inches above the ground for access to the drain hole.

### F. Laboratory Soil Tests

The laboratory apparatus has been constructed for the preliminary soil/
agent exposure tests outlined in the test plan. Local top soil from a remote
area of the Chino Hills facility of AOMC has been obtained and prepared (sieved
and dried) for use in this apparatus.

				,		ĺ	<b>!</b>	1
	DATE 8-28-25 SAMPLE # 2	] 				  - 	; ;	
	INST.GC-2 ANALYST POD		-					
	STARTING TEMP. 110°C MAX. TEMP110°C							
	PROGRAM RATE - FLOW RATE20151	/						
- ;	BRIDGE CURRENTMA.SAMPLE VOLOG	1			<u> </u>			·
	INJECTION PORT MAX. BLOCK 220°C	1						- rem
• •	COLUNN SE-52 3.2% on Chromo G-DCAS	1	•					•
	SAMPLE Dicyclopentadiene MCB							
Ī								
				Canada da para da sa			-	. ••• •
		••••						· ·
								•
							<u>-</u>	
		• • •			A)			
				and the second s	of the American Sections of		• • •	· · · · · · · · · · · · · · · · · · ·
								1
					*****			
				and the second of				
				Tay was a second				×
								~ \ - 1
				<u> </u>			ا لـــــ	<u> </u>

Figure 1.

	UNIE	O-28-13	OAWITLE /	t:	-4411211141141141141141	- 1'	1* 1	4/4.	11 11		į	· ···· · · · · · ;		
	INST.	GC-2 1	NALYST	POD			marin e.			ļ				
•		TING TEM			MP//o	2								
							e ne o one en ou				• • • • • • • • • • • • • • • • • • • •			!
PROGRAM RATE — FLOW RATE 20PSI												! !		
BRIDGE CURRENT MQ, SAMPLE VOL. 25												<u>;</u>		
	INJEC	TION POR	T Max.	BLOCK	( 2200									
	COLU	VIN SE-52	3.2% on CHRO	но-G-D	M5 60/80	,						) ) ,		
	SAMP	LE DIMP 1	OT ZX3 IN G	LASS	*************	~								!
							and the second s							
						· · · · · · · · · · · · · · · · · · ·								
· • • • • • • • • • • • • • • • • • • •														! -
						,	er vige i en meg e				-			ı
·											<u> </u>		:	•
														: i
,						ett the filtre that are							** *****	İ
						·*************************************					.,,		19	l
						ementer y	See Factor						北大	"
													X	
													0/	1
												100		
													7	1
		<u> </u>				. sar - Junto el and otheres e				<u> </u>	~	-		-
						saver the barre						/1		
									<u> </u>					-
~		·	240 °0N	$\sim \mathbf{Fi}$	gure 2.	4**	<b></b> _	<i>i</i> .	48 UN			•	•	

# Proposed Activity During September 1975

During the coming month the following activities will be pursued:

- o Resolution of the inconsistencies in the DIMP purity analysis.
- o Location of a source for radioactive DIMP and DCPD.
- o Inoculation of laboratory scale soil/agent compatability tests with DIMP and DCPD and initial measurements thereon.
- o Make preparations for radioactive tracer measurements in plant materials.
- o Complete germination tests of all seeds to be used in plant growth experiments.
- o Initiate plant growth experiments depending on proper agent material availability.
- o Complete construction of lysimeter apparatus and finalize lysimeter test plan.